



**12632—79**

12632-79\* \*

**Porous rubber sheets and details for foot-gear bottom.**  
**General specifications**

12632-67

87 4100

1979 .	1828	23
1984 .	28.06.84	<u>01.07.80</u>
	2193	<u>01.07.90</u>

, , ( . ) , , -

1.

1.1.

. 1.

\* ( 1985 . ) 1,  
 1984 . ( 10-84). 1,

©

, 1985

					, / 5
87 4113	87 4123		(	-	0,35—0,50
87 4119		,	.)	-	0,35—0,50
87 4116	87 4126 87 4127	(	,	-	0,55—0,70 0,35—0,50
87 4115	87 4125	(	.)	,	0,70—1,00

1. « »  
2.

3. *What is the relationship between the two concepts?*

1) *What is the relationship between the two variables?*

(1.2. , . 1).

1 2

		,			,
1	14,0—16,0		1	8,0—10,0	
2	16,1—18,0		2	10,1—12,0	
3	18,1—20,0		3	12,1—14,0	
1	6,0—8,0		4	14,1—16,0	
2	8,1—10,0		5	16,1—19,0	
3	10,1—12,0		6	19,1—23,0	
1	3,0—3,9		1	6,0—7,0	
2	4,0—4,9		2	7,1—8,1	
3	5,0—5,9		3	8,2—10,0	
4	6,0—7,0		4	10,1—12,0	
5	7,1—8,1		5	12,1—14,0	
6	8,2—9,2		6	14,1—16,0	
7	9,3—10,3		7	16,1—18,0	
8	10,4—12,0		8	18,1—20,0	
			9	20,1—22,0	
			10	22,1—24,0	

L

2 | 2-

( , . 1).

1.3.

470X550; 470x590; 500x650; 525X690; 550x750;  
570X790; 600x800 , 30 ,

2 9%.

1.4.

, , ,

,

( , . 1),

2.

2.1.

,

2.2.

,

,

2.3.

,

( , . 1).

2.4.

,

. 3.

2.5.

,

. 3.

2.6.

,

,

15.007—81.



9.	,	1,5	1,510,35	1,0	1,5	1,87	1,5	2,0
10.	,	17(1,7)	170,7)					
11.	,	30(3,0)	25(2,5)					23,8(2,33)

10

,

,

( , , 1).

2.7.

. 4.

4

1

3.

3.1.

( 2 )

7926—75.

### 3.2.

(  
33

, . . . 1).

3.0.

10%

(  
3.5. , . 1).

4.

4.1. 11358—74:

25

4.2.

4.3. — 7926—75.

(200±10)

(500 ±50) /

4.3.1.

8

8—10

4.4. 7926—75,

27 (2,7) / ( / ).

( , . 1).

5.

5.1.

25899—83.

(

6.

6.1.

6.2. (

1).

—

24 05 85 . . 06.12 85 0,75 . . 0,75 . . 0,47 . .  
10000 . . 3 . . . .  
« » . . 123840, . . , .  
. . 3. . . . . . 12/14. . 2741.

	! 1	
	m	
	s	
	m o l	
	c d	
	r a d	
	s r	

		Hz		-1
		N		~ -*
		J		-1 * * -3
		W		^ / "2
		V		- *3 * ~*
		F		~? —11 4 2
		12		^• -3 “*
		S		^ -' ^ 2
		Wb		2 * * ^ -1
				”2 - -1
		Im		2 * “2 - ”4
		!	Kv	*
		Bq		2 *
		Gy		-1
		Sv		2 • -2
				2 • -2